



Saving you time. Saving you money.

ISOTUBE[®]

Pre-Insulated Solutions



Continuing on the path of innovation
3i has designed ISOTUBE

The complete effective and reliable pre-insulated pipe system.

ISOTUBE combines our own vertically produced superior insulation with our expertise in pre-insulating pipes to offer a high value, convenient service. The method is based on the push-in principle as opposed to the cut-in principle to ensure a perfect fit.

Added Benefits

- Lightweight, robust and flexible, ISOTUBE is easy to transport and install.
- ISOTUBE meets standards for sustainable construction.
- ISOTUBE is marked at meter intervals enabling you to cut and use the exact amount of material needed.

**Saving more than 60%
in energy costs**




ISOTUBE is both lightweight and flexible and can be installed easily and quickly in commercial and residential applications without worrying about covers or obstacles.

The effective and efficient pre-insulated way

ISOTUBE is the pre-insulated pipe with ISOPIPE elastomeric foam insulation

Available in:
ISOPIPE TC and
ISOPIPE HT, with
or without UV cov-
ering: 9mm, 13mm
and 19mm



Perfect Fit
The insulation is perfectly fitted around the pipe preventing even the slightest loss of energy.

ISOTUBE is manufactured in a standard length of 50m. Shorter lengths are available upon request.

For more on the qualities of ISOPIPE TC and ISOPIPE HT with and without the UV coverings please see the corresponding brochures.

3i provides the following pipes with the ISOTUBE pre-insulated solution. Pipes of your choice can also be used.



ISOTUBE TC/HT with Inox pipes
From $\Phi 6$ - $\Phi 20$



ISOTUBE TC/HT with Copper pipes
6mm - 22mm
1/4" - 3/4"



ISOTUBE TC/HT with Polyethylene pipes
 $\Phi 16$ - $\Phi 22$



ISOTUBE TC/HT with Pex-Al-Pex pipes
 $\Phi 16$ - $\Phi 20$



ISOTUBE TC/HT UV with Inox pipes




ISOTUBE TC/HT UV with Copper pipes



ISOTUBE TC/HT UV with Polyethylene pipes



ISOTUBE TC/HT UV with Pex-Al-Pex pipes



Detail of the multilayer pex-al-pex pipe which comprises of a layer of aluminum between the two layers of plastic



Our 3i factory is situated 68km north of Athens, with a covered area of 40.000m² and building extensions of 28.000 m². Onsite, we have advanced testing equipment and continuous quality control that ensures top performance of all our products.

3i International Innovative Industries S.A.

GREECE

Head Offices:

Nafpliou & Daskalogianni
144 52, Metamorfossi, Athens, Greece
T: +30 210 28 28 603
F: +30 210 28 19 210
E: export@isopipe.gr

Plant:

68 km Nat. Road Athens - Lamia
341 00, Ritsona, Halkida, Greece
T: +30 2262 089800
F: +30 2262 072006

SPAIN

Calle Alfred Nobel, 29
Parcela, 35 - Poligono Industrial Valldorioif
08430 La Roca del Valles, Barcelona
T: +34 93 879 1195
F: +34 93 879 1313
E: info@isopipe.es

www.isopipe.eu

First in Innovation

3i, with its continuous research and development program, has obtained the ability to produce specialized products that are both environmental and health sensitive without compromising the quality of the insulation system.

Don't wait any longer to protect your investments. Join the world of 3i today and rest easy.

More products ranges from 3i

ISOPIPE[®] TC ISOPIPE[®] HT TORRENT[®]

The closed cell elastomeric rubber insulation offers many benefits besides energy efficiency. It has outstanding thermal protection, prevents mould growth while it is condensation resistant.

The closed cell synthetic rubber solution for high temperatures. Environmentally friendly with limited smoke and toxic emissions in the case of fire.

We supply TORRENT, the leader in cast iron boilers and manufacture Sun, Galaxy, Matrix, Star, Megastar and the compact unit Sun cast iron boilers from 25kw to 1400kw.

A wide range of accessories also available from 3i



For all the technical specifications on the ISOTUBE application, refer to the ISOPIPE Technical Brochure.